Modular Workbench Fasteners

Fasteners for one bench, multiply the hardware by the number of modular benches you are going to make. Links to hardware in the names.

Herrajes para un banco, multiplica los herrajes por el número de bancos que vayas a fabricar. Links a los herrajes sobre los nombres.

Threaded Inserts:

6x M8 - 10mm outer diameter.

T-Nut:

4x M10 (Holdfast Clamps) you can also use or threaded inserts

Wood Screws:

4x50mm (~ 130)
3x30mm (~80)

Hex Bolt:

4 x M10 80mm (Holdfast Clamps) you can also use or threaded rod

Hex Lag Bolt:

4 x 8x50mm (Anke Vise)
3 x 6x80mm (Anke Vise Piece 2)
6 x 6x60mm (Bench Top)
16 x 6x50mm (TP-60F Wheels)

Allen Flat Head Screw:

4 x M8 100mm
1 x M8 70mm

Hex Cup Nut:

4 x M10 (Holdfast Clamps)

Washers:

10x M6 outside diameter 15mm

Incra T Ttrack:

1x (1219mm)

Wheels:


4x TP-60F - 2" WHEEL


Vise:


Option 1 - Anke Neutechnik AK900302
Option 2 - 14" Twin Turbo Vise

Steel Pipe 20mm Diameter and 3mm thick. You can also use Steel Rod.

4x 160mm long (holdfast clamps)
4x 80mm long (bench dogs)




M8 70mm
Flat Head Bolt
6x60 Hex Lag Bolt
M6 Washer
M8 Threaded
Insert
Incra T track
M8 100mm
Flat Head Bolt
4x50 Wood
Screw
6x80 Hex Lag Bolt



www.paoson.com